AMENDMENT OF SOLICITATION	I/MODIFICATION OF	CONTRACT	1. C	ONTRACT ID C	PAGE OF PAGES	
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE 01 FEB 2002	4. REQUISITION/PURCHA	SE RE	Q. NO.		NO. (If applicable)
6. ISSUED BY CODE	W38XGR	7. ADMINISTERED BY (I)	other	than Item 6)	CODE	
Department of the Army Memphis District, Corps of Engineers 167 North Main Street, Rm B202 ATTN: C Memphis, TN 38103-1894	EMVM-CT					
8. NAME AND ADDRESS OF CONTRACTOR (No., street	t, county, State and ZIP Code)		(√)	1		ATION NO.
			×			
			REQUISITION/PURCHASE REQ. NO.   5. PROJECT NO. (If applicable) DACW66-02-B-0005  ADMINISTERED BY (If other than Item 6)   CODE      (/)   9A. AMENDMENT OF SOLICITATION NO. DACW66-02-B-0005       DACW66-02-B-0005     DACW6-02-B-0005     DACW6-02-B-0005     DACW66-02-B-0005     DACW6-02-B-0005     DACW6-02-B-0			
CODE	FACILITY CODE			10B. DATED	(SEE ITEM 13)	
		AMENDMENTS OF S	OLIC	TATIONS		
The above numbered solicitation is amended as settended.	et forth in Item 14. The hour	and date specified for rece	ipt of (	Offers is e	extended, 🔀 i	s not ex-
(a) By completing Items 8 and 15, and returning 1 submitted; or (c) By separate letter or telegram which i MENT TO BE RECEIVED AT THE PLACE DESIGNATED 1	copies of the amendments  cludes a reference to the softence to the softe	nt; (b) By acknowledging re plicitation and amendment r S PRIOR TO THE HOUR AN	ceipt o number D DAT	of this amendm s. FAILURE OF E SPECIFIED M	ent on each cor YOUR ACKNOV	y of the offer VLEDG-
12. ACCOUNTING AND APPROPRIATION DATA (If req		<u> </u>		. 3		<u> </u>
					S,	
A. THIS CHANGE ORDER IS ISSUED PURSUANT TRACT ORDER NO. IN ITEM 10A.	TO: (Specify authority) THE C	CHANGES SET FORTH IN IT	EM 14	ARE MADE IN	THE CON-	
B. THE ABOVE NUMBERED CONTRACT/ORDER I appropriation date, etc.) SET FORTH IN ITEM 1-	S MODIFIED TO REFLECT TH 4, PURSUANT TO THE AUTH	IE ADMINISTRATIVE CHAN ORITY OF FAR 43.103(b).	GES (	such as changes	in paying office,	
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERE	D INTO PURSUANT TO AUT	HORITY OF:				
D. OTHER (Specify type of modification and authority)						
E. IMPORTANT: Contractor is not,	is required to sign	this document and re	eturn	C	opies to the	issuing office.
14. DESCRIPTION OF AMENDMENT/MODIFICATION (C	Organized by UCF section headin	gs, including solicitation/contr	act sul	ject matter where	e feasible.)	
This solicitation for Lower Ditch 251, Charscheduled to open 12 FEB 2002 at 2:30 p.m			iscot	and New M	adrid Counti	es, Missouri,
1. SECTION 00800, Table of Contents, Pag	e 00800-2. Delete "1.3	35 thru 1.37 Not Used	" and	l substitute t	he following	:
"1.35 Not Used 1.36 Cooperation with Others 1.37 Not Used	00800 00800 00800	)-15				
	ntinued on Next Page)					
	he document referenced in I	tem 9A or 10A, as heretofo	re cha	inged, remains	unchanged and	in full force
and effect.  15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE C	F CON	NTRACTING OF	FICER (Type or p	print)
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF	AME	RICA		16C. DATE SIGNED
(Signature of person authorized to sign)		BY(Signatu	re of (	Contracting Offi	cer)	

STANDARD FORM 30 (REV. 10-83) Prescribed by GSA FAR (48 CFR) 53.243

- 2. SECTION 00800, Table of Contents, Page 00800-2. Change page number for Para. No. 1.38 Sunday, Holiday and Night Work to 00800-16.
- 3. SECTION 00800, Page 00800-15. Delete "1.35. THRU 1.37. <u>NOT USED.</u>" Substitute "1.35. NOT USED."
- 4. SECTION 00800, Page 00800-16. Insert "1.37. NOT USED."
- 5. SECTION 00800, Page 00800-15. Insert the following paragraph:
- "1.36. COOPERATION WITH OTHERS. The Contractor shall coordinate all construction operations within the construction and right-of-way limits of this contract with the construction of the channel clearing and cleanout projects on Ditch 1 Lower, Ditch 66, Lower Ditch 81 and Ditch 251 Unimproved, so as to cause the least interruption practicable to ongoing construction contracts in the vicinity of Lower Ditch 251. In the event of controversy between the Contractor's personnel and other personnel, the Contracting Officer's decision will be final; however, if the Contractor is in disagreement with the decision, the matter may be pursued under the CONTRACT CLAUSE entitled "Disputes"."
- 6. Submittal Register. The attached submittal register for Turfing, Section 02935 is added.
- 7. Storm Water Pollution Prevention Plan, Page 1, Paragraph 2. Delete "763.36" and substitute "181".
- 8. Storm Water Pollution Prevention Plan, Page 1, Paragraph 3.1.1. In the last sentence delete "Lower Buffalo Creek" and substitute "Lower Ditch 251".
- 9. Storm Water Pollution Prevention Plan, Page 1, Paragraph 3.2.2. Delete "Lower Buffalo Creek" and substitute "Lower Ditch 251".
- 10. Storm Water Pollution Prevention Plan, Page 4, Paragraph 3.2.6. Delete paragraph 3.2.6 and substitute the following:

### "3.2.6 Velocity Dissipation Devices

Should drains or swales be used, they shall be constructed with velocity dissipation devices (check dams) to reduce the need for more stringent erosion control practices in the swale or drain due to the decreased velocity and energy of runoff. These devices shall be removed after the erosive areas have been stabilized."

11. Storm Water Pollution Prevention Plan, Page 5, Paragraph 6. Delete "Big Lake National Wildlife Refuge, located in Mississippi County, Arkansas" and substitute "St. Francis River, located in Mississippi County, Arkansas".

- 12. Storm Water Pollution Prevention Plan, Page 5, Paragraph 7.2. Delete "Lower Buffalo Creek" and substitute "Lower Ditch 251".
- 13. SECTION 01451, Page 01451-2, Paragraph 3.2.2.d and e. Delete subparagraphs d. and e. and substitute the following:
- "d. Procedures for scheduling, reviewing, certifying, and managing submittals, including those of subcontractors, off-site fabricators, suppliers, and purchasing agents. These procedures shall be in accordance with SPECIAL CONTRACT REQUIREMENT entitled "Submittals".
- e. Control, verification, and acceptance testing procedures for each specific test to include the test name, specification paragraph requiring test, feature of work to be tested, test frequency, testing laboratory, and person responsible for each test."
- 14. SECTION 01451, Page 01451-7, Paragraph 3.7.2.1. Delete paragraph 3.7.2.1 in its entirety and substitute the following:
- "All testing of soil, gravel, aggregate, stone, concrete, and asphalt shall be performed by a testing laboratory validated by the Material Testing Center (MTC) of the Corps of MTC Engineers. Refer the to http://www.wes.army.mil/SL/MTC/ValStatesTbl.htm for a complete and current list of validated commercial laboratories. If the Contractor proposes to use a commercial laboratory that is not validated or set up an on-site laboratory, he shall make arrangements for validation by contacting the Material Testing Center at Waterways Experiment Station, Vicksburg, Mississippi, telephone number: 601-634-3974, www.wes.army.mil/SL/MTC/inspection.htm. The Government will not be responsible for any cost associated with the validation of laboratories that are not currently validated. The validation process could take 60 to 90 days or more. The Contractor shall be responsible for determining the amount of time required for the validation of the proposed laboratory and accounting for this event in his progress schedule. If the Contractor elects to use a non-validated laboratory, work requiring testing shall not commence until the laboratory has been validated by MTC."
- 15. DIVISION 2 SITE WORK, SECTION 02210, TABLE OF CONTENTS. Delete "1.2.1.2 Existing Structures".
- 16. SECTION 02210, Page 02210-1, Paragraph 1.1. In the second line delete "clearing; excavation" and substitute "clearing and excavation".
- 17. SECTION 02210, Page 02210-1, Paragraph 1.2.1.2. Delete paragraph 1.2.1.2 in its entirety.
- 18. SECTION 02210, Page 02210-2, Paragraph 3.1.1. Delete paragraph 3.1.1 in its entirety and substitute the following:

#### "3.1.1 General

The channel clearing and channel cleanout shall begin at Station 1142+70 and proceed continuously upstream to Station 1984+74 as indicated on the drawings. Clearing shall consist of top bank to 90' into channel the removal as close as practicable above the ground surface, of all trees, down timber, snags, stumps, rootwads, drift, brush, vegetation and other debris which interferes with excavation for channel cleanout. Areas to be cleared shall include the areas for operation of the Contractor's equipment. Optimum effort shall be exercised by the Contractor to preserve as many trees as practicable outside the required clearing areas. Clearing shall be maintained not more than 2000 feet or 20 days in advance of excavation work. Within areas to be cleared, all growth, stumps, partially buried logs, snags, and other projections shall be removed by uprooting or shall be cut off flush with the existing surfaces, or as indicated on the drawings unless otherwise directed by the Contracting Officer."

19. SECTION 02210, Page 02210-3, Paragraph 2.3.3. Delete paragraph 3.2.2 in its entirety and substitute the following:

# "3.2.2 Burning

The Contractor shall comply with the applicable pollution restrictions of the Missouri Air Conservation Commission, P.O. Box 1062, Jefferson City, Missouri. Subject to such restrictions and obtaining any permit which may be required by said department, the Contractor may burn material within the contract area, and at any time within the contract period, provided such burning does not cause the above standards to be exceeded. Burning operations shall be conducted so as to prevent damage to standing timber or other flammable growth. The Contractor shall be responsible for any damage to life and/or property resulting from fires that are started by his employees or as a result of his operations. The Contractor shall furnish at the site of burning operations adequate fire fighting equipment to properly equip his personnel for fighting fires. Fires shall be guarded at all times and shall be under constant surveillance until they have been extinguished."

- 20. SECTION 02210, Page 02210-5, Paragraph 3.3.1. In line 5 delete "2.5H" and substitute "2.0H".
- 21. SECTION 02210, Page 02210-5, Paragraph 3.3.2. Delete paragraph 3.3.2 in its entirety and substitute the following:

### "3.3.2 Existing Inlet Drains

Existing drains, on the side of the channel and in reaches where excavation is required, shall be enlarged along the existing alignment between the right-of-way limit line and the improved channel of Lower Ditch No. 251. Bottom grades of such enlargements shall

be a line descending from the existing bottom elevation at the right-of-way limit line to the bottom grade of the improved channel of Lower Ditch No. 251 at the intersection of the inlet drain with Lower Ditch No. 251. Side slopes and bottom widths shall be approximately equal to the existing side slopes and widths; however, side slopes shall not be steeper than 1V on 2H nor shall the bottom width be less than 6 feet. The Contractor shall notify the Contracting Officer of all culverts and pipes encountered but not shown on the drawings and he shall not disturb such culverts and pipes until directed to do so."

## **DRAWINGS**

- 1. Drawing 1. On the Project Location Map change Tallapoosa to Malden.
- 2. Drawing 1. In the Drawing Index, delete "PROFILE" in the Drawing Title for drawings 2 through 8.
- 3. Drawing 2. Delete "5' MAX." note on the excavated material embankment portion of the Typical Section.
- 4. Drawing 2. On Typical Section delete the "10' MAX" note on the height of the excavated material embankment and add the following note:
- "EXCAVATED MATERIAL NOT TO EXCEED 10" OR THE HEIGHT OF EXISTING EXCAVATED MATERIAL EMBANKMENT, WHICHEVER IS GREATER."
- 5. Drawing 2. Cross Section at STA. 1253+58. There is an error on the horizontal scale. Delete "99820" and substitute "9920".
- 6. Drawings 2 through 8, Title Block. Delete "PROFILE" in the 5<sup>th</sup> line of the title.
- 7. Drawings 2 through 8. In Note 3 delete "100" and substitute "90".
- 8. Drawings 2 through 8. In Note 5 delete "50" and substitute "100".
- 9. Drawing 5, Cross Section at STA. 1603+50. There is an error on the horizontal scale. Delete "9940" on far right side and substitute "9920".
- 10. Drawing 7, Cross Section at STA. 1835+57. There is an error on the horizontal scale. Delete "9800, 9600, 9400, and 9200" and substitute "9980, 9960, 9940, and 9920".

							5			L RE		ER											CON	NTRACT NO.	
(ER 415-1-10)  TITLE AND LOCATION LOWER DITCH NO. 251, CHANNEL CLEANOUT PEMISCOT AND NEW MADRID COUNTIES, MISSOURI								CONTRACTOR							SPECIFICATION SECTION Turfing 02935										
I				TEMICOUT AND NEW MADRID COCKTES, MIK	TYPE OF SUBMITTAL CLASSI-							CONTRACTOR CONTRACTOR AG					ACTION	GC	OVERNMENT	02000					
														FICATION				CHEDULE DA				T	+	ACTION	
A C T - V - T Y N O .	TRANS- MITTAL NO.	I T E M N O	SPECIFICATION PARAGRAPH NUMBER	DESCRIPTION OF ITEM SUBMITTED	D A T A	D R A W I N G S	- Z O O C A - O Z O -	S C H E D U L E S -	STATEMENTS :	REPORTS	I C A T E S	A M P L E S	RECORDS	N	G O V A E P R P N R M O E V N E T D	R E > - E > E R	SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	C O D E	DATE	SUBMIT TO GOVERN- MENT	C O D E	DATE	REMARKS
а	b	С	d 02935-1.4.1	e Invoices from Suppliers (Fertilizer)	H	g	h	_	X	K	╁	m	n	o X	р	q C	r	s	t	u	V	W	х	У	Z
			02935-1.4.1	Certification Statements (Seed)				_	^		Х	$\dashv$	-	X		С	1								
			02935-1.4.2	Certified Weight Tickets (Fertilizer)							X	+		X		С									
			02935-2.1.1	Certified Quantitative Analysis Report							Х			X		С									
			02935-2.2.1	Invoices from Suppliers (Fertilizer)					Х					Х		С									
			02935-2.2.2	Labling of Seed Containers (Certified)					Χ					Х		С									
											_														
											_	_											-		
											_	_													
											$\dashv$	+													
											$\dashv$														
$\vdash$					$\vdash$			$\dashv$		$\vdash$	$\dashv$	$\dashv$	$\dashv$							$\vdash$					
Πİ					$\vdash$			一			十	$\dashv$	$\dashv$										H		
											寸	1	7												
								一			T	T													
											T	T	1												
								[			_														
											_	_	_								ļ		<u> </u>		
ightharpoonup											4	_	_										<u> </u>		
$\dashv$								_			-	-	4							_			_		
				EDITION							L						PAGE	OF	PAGES	<u> </u>	<u> </u>				